




WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

C O F C

1000 E. GLENN GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 17357.1.1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of

Steele et al.

Serial No.: 09/923,285

Filed: Aug. 6, 2001

Confirmation No.: 9043

For: *STORAGE, MANAGEMENT AND DISTRIBUTION OF  
CONSUMER INFORMATION*

Examiner: Greta Robinson

Patent No.: 7,257,581 B1

Issue Date: Aug. 14, 2007

Art Unit  
2161

**Certificate**  
**SEP 08 2009**  
**of Correction**

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any

09/03/2009 HUUONG1 00000039 7257581


01 FC:1811

100.00 DP

additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 31<sup>st</sup> day of August, 2009.

Respectfully submitted,




Paul G. Johnson  
Attorney for Applicant  
Registration No.: 58,539  
Customer No. 022913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 31<sup>st</sup> day of August, 2009.

Respectfully submitted,



Transmitted:


REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 164825 in the amount of \$100



WORKMAN | NYDEGGER  
INTELLECTUAL PROPERTY ATTORNEYS

1000 FIFTH AVENUE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111  
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT  
Docket No. 17357.1.1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Steele et al.

Serial No.: 09/923,285

Filed: Aug. 6, 2001

Confirmation No.: 9043

For: *STORAGE, MANAGEMENT AND DISTRIBUTION OF  
CONSUMER INFORMATION*

Examiner: Greta Robinson

Patent No.: 7,257,581 B1

Issue Date: Aug. 14, 2007

Art Unit  
2161

**REQUEST FOR A CERTIFICATE OF CORRECTION**  
**UNDER 37 C.F.R. § 1.323**

Attention: Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Commissioner:


In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any

additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 31<sup>st</sup> day of August, 2009.

Respectfully submitted,




Paul G. Johnson  
Attorney for Applicant  
Registration No.: 58,539  
Customer No. 022913

WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, UT 84111  
Phone: 801-533-9800  
Fax: 801-328-1707

**CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 31<sup>st</sup> day of AUGUST, 2009.

Respectfully submitted,



Transmitted:

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323  
PTO Form PTO/SB/44 and check No. 164825 in the amount of \$100

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 2

PATENT NO. : 7,257,581 B1

APPLICATION NO.: 09/923,285

ISSUE DATE : Aug. 14, 2007

INVENTOR(S) : Steele et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

(57) ABSTRACT, line 10, change "with host" to--with the host--

Column 18

Line 60, change "oft" to --of,--

Column 20

Line 34, change "comprising" to --comprises--

Column 21

Line 21, change "computer instructions" to --computer-executable instructions--

Line 22, change "displays" to --to display--

Line 28, change "computer executable" to --computer-executable--

Line 49, change "step" to --steps--

Line 64, change "step" to --steps--

Column 22

Line 37, change "step" to --steps--

Line 50, change "step" to --steps--

Column 23

Line 10, change "retrieving" to --retrieve--

Line 14, change "passing" to --pass--

Line 17, change "autopopulating" to --autopopulate--

Line 19, change "The" to --A--

Line 50, change "transits" to --transmits--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**PAUL G. JOHNSON, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**Page 2 of 2

PATENT NO. : 7,257,581 B1

APPLICATION NO.: 09/923,285

ISSUE DATE : Aug. 14, 2007

INVENTOR(S) : Steele et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 24

Line 33, change "sewer" to --server--

Line 45, change "retrieving" to --retrieve--

Lines 49-50, change "auto-populating" to --auto-populate--

Line 65, change "sewer" to --server--

Column 26

Line 47, change "claim" to --of claim--

Line 62, delete "performs the autopopulating"

Column 27

Line 15, change "sewer" to --server--

Line 25, change "sewer" to --server--

Line 34, change "sewer" to --server--

Column 30

Line 17, change "comprising" to --comprises--

Line 34, change "each" to --to each--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**PAUL G. JOHNSON, WORKMAN NYDEGGER**  
**1000 Eagle Gate Tower**  
**60 East South Temple**  
**Salt Lake City, Utah 84111**

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,257,581 B1

APPLICATION NO.: 09/923,285

ISSUE DATE : Aug. 14, 2007

INVENTOR(S) : Steele et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Title Page

(57) ABSTRACT, line 10, change "with host" to--with the host--

### Column 18

Line 60, change "oft" to --of,--

### Column 20

Line 34, change "comprising" to --comprises--

### Column 21

Line 21, change "computer instructions" to --computer-executable instructions--

Line 22, change "displays" to --to display--

Line 28, change "computer executable" to --computer-executable--

Line 49, change "step" to --steps--

Line 64, change "step" to --steps--

### Column 22

Line 37, change "step" to --steps--

Line 50, change "step" to --steps--

### Column 23

Line 10, change "retrieving" to --retrieve--

Line 14, change "passing" to --pass--

Line 17, change "autopopulating" to --autopopulate--

Line 19, change "The" to --A--

Line 50, change "transits" to --transmits--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**PAUL G. JOHNSON, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO. : 7,257,581 B1

APPLICATION NO.: 09/923,285

ISSUE DATE : Aug. 14, 2007

INVENTOR(S) : Steele et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 24

Line 33, change "sewer" to --server--

Line 45, change "retrieving" to --retrieve--

Lines 49-50, change "auto-populating" to --auto-populate--

Line 65, change "sewer" to --server--

### Column 26

Line 47, change "claim" to --of claim--

Line 62, delete "performs the autopopulating"

### Column 27

Line 15, change "sewer" to --server--

Line 25, change "sewer" to --server--

Line 34, change "sewer" to --server--

### Column 30

Line 17, change "comprising" to --comprises--

Line 34, change "each" to --to each--

MAILING ADDRESS OF SENDER (Please do not use customer number)

**PAUL G. JOHNSON, WORKMAN NYDEGGER**  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111